

# **Keystone Product Catalog**

Landscape Walls • Structrual Walls • Outdoor Living



# landscape

### **Outdoor Living Elements**

Fire Pits • Fire Places • Kitchens • Benches & More!









Small to Medium Free Standing/Retaining/Parapet Walls • Columns • Outdoor Living Elements



Available Colors For All Products












Medium Small

	Height	Width	Depth	Weight	
Large	6"	16"/14"	10"	60 lbs	
Medium	6"	12"/10"	10"	40 lbs 25 lbs	
Small	6"	6"/4"	10"		
	Height	Width	Depth	Weight	
Can	4"	14"/8"	11"	30 lbs	





	Height	Width	Depth	Weight	.3
Tri-plane	8"	18"	12"	85 lbs	
Straight Split	8"	18"	12"	85 lbs	See.





### Pin Connection System

2 Connection pins required per unit



Shouldered pins for use with Keystone Country Manor®

Fiberglass pins for use with the structural products

Steel pins for use with the KeySteel<sup>™</sup> SQ.Ft. system

## structural



Multiple Face Designs • Near-Vertical or Battered Setback Installation • Tall Walls • Critical Structures



High Performance • Tall Walls • DOT • Heavy Construction • HITEC/AASHTO Approved

Accessory Products

### Universal Cap For use with all structural wall products.



Height Width Depth Universal Cap 4" 18"/14" 101⁄2"

Weight 48 lbs





38200 LA HWY 16 Denham Springs, LA 70706 (225) 667-4545 www.premier-concrete.com



Keystone Retaining Wall Systems LLC 4444 West 78th Street • Minneapolis, MN 55435 (952) 897-1040 • www.keystonewalls.com

Follow us:





©2017 Keystone Retaining Wall Systems LLC - Patents Pending • PC0317

Keystone Retaining Wall Systems LLC reserves the right to improve its products and make changes to its specification and design without notice. The information contained herein has been compiled by Keystone and to the best of its knowledge, accurately represents the Keystone product and how it may be used in the applications which are illustrated. Site conditions, including load pressures acting on the wall, soil types and drainage conditions, may vary. Final determination of the suitability of the product for the use contemplated and the manner of product use are the sole responsibility of the user. Good construction practices and local building codes require the use of an engineered design when constructing retaining walls or free-standing walls in many conditions. Structural design and analysis should be provided by a qualified engineer.